



BPG INTERNATIONAL
 Wilmington DE 19806
 Tel: (302) 656-7600
 Fax: (302) 656-7602

MATERIAL SAFETY DATA SHEET MSDS No. DIF1 Date: 01/05/2013
Supersedes: 05/17/2011

| | | |
|--------------------------------|--------------------|--|
| PRODUCT IDENTIFICATION: | PRODUCT NAME: | BRIGHT Air™ Scented Oil Diffuser All Scents(McIntosh Apple & Cinnamon, Hawaiian Blossoms & Papaya, Lavender & Fresh Lily, Calm Waters & Spa, Fresh Petals & Peach) |
| | SYNONYMS: | Bottle air freshener |
| | DESCRIPTION: | Glass container containing fragranced liquid |
| | MOLECULAR FORMULA: | Mixture |
| | MOLECULAR WEIGHT: | Mixture |

| | | |
|---------------------|------------------|-----------------|
| COMPOSITION: | <u>Component</u> | <u>C.A.S. #</u> |
| | Fragrance liquid | Mixture |

| | | | | | |
|------------------------------|--------------------|-----------------|-----------------|------------|------------------|
| HAZARDOUS COMPONENTS: | <u>Component</u> | <u>C.A.S. #</u> | <u>Weight %</u> | <u>TWA</u> | <u>REFERENCE</u> |
| | Isopropyl Alcohol | 67-63-0 | 7 – 13% | 400 ppm | OSHA PEL |
| | Alcohol C6-C12 | 68937-66-6 | 5.6% | 400 ppm | OSHA PEL |
| | Alcohol C10-C16 | 69227-22-1 | 1.3% | 400 ppm | OSHA PEL |
| | Polyethylene Oxide | 25322-68-3 | 0.7% | 400 ppm | OSHA PEL |

| | | | |
|------------------------------------|---------------|---|-------------|
| NFPA HAZARD CLASSIFICATION: | HEALTH; | 2 | 0 = LEAST |
| | FLAMMABILITY; | 3 | 1 = SLIGHT |
| | REACTIVITY: | 0 | 2= MODERATE |
| | | | 3 = HIGH |
| | | | 4 = EXTREME |

HEALTH HAZARD INFORMATION:

Over exposure to product is not likely to cause acute toxic effects. No exposure limits established. This product is a mixture for which no specific health hazards data exists. One or more of the components contained in this product may present the following health effects:

- Liquid may be irritating to skin and eyes
- Vapor in high concentrations may cause anesthetic effects
- Maybe harmful if swallowed
- Repeated contact may cause allergic reactions

EMERGENCY AND FIRST AID PROCEDURES:

- EYE CONTACT:** Immediately irrigate with water for 15 minutes. Obtain medical attention if irritation persists.
- SKIN CONTACT:** Wash affected area with soap and water
- INHALATION:** Remove person to fresh air. If ill affects persist, seek medical assistance
- SWALLOWING:** Rinse mouth with water. Take milk or water to dilute. Seek medical assistance.

EXPOSURE CONTROL METHODS:

Engineering controls are not necessary if good hygiene practices are followed. Before eating , drinking or smoking, wash face and hands thoroughly with soap and water. Avoid unnecessary skin contact. For instances where eye or face contact can occur, eye protection is recommended. Where exposures are below the Permissible Exposure Limit (PEL) or THRESHOLD WEIGHTED AVERAGE (TWA), no respiratory protection is required. Where exposures exceed the PEL/TWA, use respirator approved by NIOSH for the material and level of exposure. See "GUIDE TO INDUSTRIAL RESPIRATORY PROTECTION" (NIOSH).

FIRE AND EXPLOSION HAZARD INFORMATION:

- FLASH POINT:** 81 - 91 F
- METHOD:** ASTM 6450 CONTINUOUS CLOSED CUP FLASH POINT (CCCFP)
- FIRE FIGHTING:** Use Carbon Dioxide or dry chemical to extinguish fire. Wear self contained positive pressure breathing apparatus.

REACTIVITY DATA:

- STABILITY:** Stable. Does not react with water
- CONDITIONS TO AVOID:** Avoid excessive heat and open flames
- POLYMERIZATION CONDITION TO AVOID:** Will not occur
- INCOMPATIBLE MATERIALS:** Strong Oxidizing materials
- HAZARDOUS DECOMPOSITION PRODUCTS:** Burning produces Carbon Monoxide, Carbon Dioxide and Smoke

PHYSICAL PROPERTIES:

- APPEARANCE:** Clear, colored liquid
- PHYSICAL STATE:** Liquid
- ODOR:** Varies according to fragrance

| | |
|-------------------|---------------|
| MELTING POINT: | Not Available |
| VAPOR PRESSURE: | Not Available |
| SPECIFIC GRAVITY: | 1.0 |
| VAPOR DENSITY: | 0.98 |

SPILL, LEAK AND DISPOSAL PROCEDURES:

| | |
|--|---|
| STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: | ELIMINATE ALL SOURCES OF IGNITION. Ventilate area. Cover spills with absorbent material; sweep up and place in waste disposal container |
| WASTE DISPOSAL METHOD: | Incineration or landfill in accordance with local, state and federal regulations |

D.O.T. SHIPPING INFORMATION:

| | |
|------------------------------|---|
| PROPER SHIPPING NAME: | Not applicable |
| HAZARD CLASS: | Not applicable |
| D.O.T. HAZARDOUS SUBSTANCES: | Not regulated by DOT 173.150(b), (3) |
| D.O.T. LABEL REQUIRED: | Not applicable |
| D.O.T CLASSIFICATION | OREM-D |
| TSCA INFORMATION: | This product is manufactured in compliance with all provisions of the Toxic Substances Control Act, 15 U.S.C. |
| IATA CLASSIFICATION | Flammable Liquid, N.O.S. (Contains isopropyl alcohol) Class 3, UN 1993, PG III, Limited Quantity |

ENVIRONMENTAL PRECAUTIONS:

This fragrance oil is a mixture which contains the following chemicals which are subject to the reporting requirements of section 313 Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

SPECIAL PRECAUTIONS:

KEEP AWAY FROM DIRECT HEAT AND FLAME.
KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE.
USE WITH ADEQUATE VENTILATION

This information is given without any warranty or representation The information in this MSDS was compiled from current and reliable sources. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.